MOLYGULF SPECIALIZED LUBRICANTS

Ultimate High Performance Specialty Lubricants



FG-160 USDA H1 FDA APPROVED PARAFFIN OIL



FG-160 Is truly multi-purpose, H-1 Food Grade Non-Toxic, highly refined white mineral oil severely hydro-finished colorless, tasteless, odourless and chemically stable. M-490 is light viscous oil consists of saturated aliphatic and alicyclic non-polar hydrocarbons.

Applications:

FG-160 has the following performance characteristics:

- 1. Excellent Thermal Stability.
- 2. Excellent resistance to Oxidation and Thermal Degradation.
- 3. Low Volatility
- 4. Low Carbon Forming Tendencies
- 5. Superior Hydrolytic Stability
- 6. Reduced System Maintenance

Features:

- 1. Exceptional Purity And Stability
- 2. USDA H-1 & FDA Compliant
- 3. High Temperature Performance
- 4. Colorless, Odorless, Tasteless
- 5. Non Carbonizing Nature
- 6. Excellent Corrosion Properties

MOLYGULF SPECIALIZED LUBRICANTS

Ultimate High Performance Specialty Lubricants



TYPICAL SPECIFICATIONS:

| Specific Gravity @ 25 C | .838 / .860 |
|------------------------------------|-------------|
| Viscosity @ 40 C, cST (ASTM D-445) | 15.1 / 18.3 |
| Flash Point C(ASTM D-92) | 204 |
| Pour Point C (ASTM D-97) | -10 |
| Hydrolytic Stability (ASTM D-2619) | |
| Copper Wt Loss mg/cm | 0.01 |
| Appearance | Clear |